

# SUBMITTAL DATA SHEET



Series Name: **Multi Zone Indoor Unit 4-Way Cassette**

Model Number: **AC-18N1-M1**

Heat Pump System	
Location: _____	Approval: _____
Engineer: _____	Date: _____
Submitted to: _____	Construction: _____
Submitted by: _____	Unit #: _____
Reference: _____	Drawing #: _____



Item	Unit	Specification
<b>Performance Data</b>		
Cooling Capacity	Btu/h	16000(5600~17000)
Heating Capacity	Btu/h	17000(8700~21000)
Design Pressure	PSIG	550/340
Refrigerant Type	-	R410A
Liquid Side	inch(mm)	1/4in (6.35mm)
Gas Side	inch(mm)	1/2in (12.7mm)
Indoor Operation Range of Cooling	Deg.°F (°C)	62°F~90°F (17°C~32°C)
Indoor Operation Range of Heating	Deg.°F (°C)	32°F~86°F (0°C~30°C)
<b>Electrical</b>		
Normal Operational Voltage	V, Ph, Hz	208/230V, 1Ph, 60Hz
Voltage Range	V	187-253
Connection Wiring	-	14*4 AWG
Indoor Fan Motor Model	-	ZKFP-46-8-1
Indoor Fan Motor Input	W	45
Indoor Fan Motor Output	W	46
Indoor Fan Motor RLA	A	1.5
Indoor Fan Motor Speed(Hi/Mi/Lo)	r/min	730/630/570
<b>Air Flow &amp; Noise Level</b>		
Indoor Air Flow (H/M/L)	CFM	562/485/439
Indoor Noise Level (H/M/L)	dB(A)	44/39/36
Moisture Removal	L/H (pint/H)	2.22L/H (4.68pint/H)
Dimension (W×D×H)	inch	22-1/2 x 22-1/2 x 10-1/4
	mm	570 x 570 x 260
Package (W×D×H)	inch	26-1/8 x 26-1/8 x 12-1/2
	mm	662 x 662 x 317
Net Weight / Gross Weight	lbs	36/47
	kg	16.2/21.3

# Indoor Unit Dimension

